

Pipeline and Hazardous Materials Safety Administration East Building, PHH – 30
1200 New Jersey Avenue, Southeast
Washington, D.C. 20590

DOT-SP 16039

EXPIRATION DATE: April 30, 2016

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. GRANTEE: UTLX Manufacturing LLC. Alexandria, LA

2. PURPOSE AND LIMITATIONS:

- a. This special permit authorizes the manufacture, mark, sale and use of non-DOT specification tank cars for the transportation in commerce of anhydrous ammonia. This special permit provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein. The most recent revision supersedes all previous revisions.
- b. The safety analyses performed in development of this special permit only considered whether the applicant has demonstrated equivalent level of safety of the proposed tank car designed with reduced service pressure and modified jacket material with current specification tank car. The safety analyses did not consider the hazards and risks associated with consumer use, use as a component of a transport vehicle or other device, or other uses not associated with transportation in commerce.
- 3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
- 4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 173.314(d) in that a non-DOT specification tank car is not authorized, except as provided herein.

- 5. BASIS: This special permit is based on the application of UTLX Manufacturing LLC. dated October 10, 2013, and additional information dated May 8, 2014, submitted in accordance with \$ 107.105, and the public proceeding thereon.
- 6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Hazardous Material Description			
Proper Shipping Name	Hazard Class/ Division	Identi- fication Number	Packing Group
Ammonia, anhydrous	2.2	UN1005	N/A

7. SAFETY CONTROL MEASURES:

- a. PACKAGING The design and construction of the packaging shall conform with all the requirements of 49 CFR Part 179 for a DOT112J400I tank car except for the specific design deviation specified in UTLX's application and described below for the construction of a DOT112J400I tank car with a non-specification jacket steel material and non-specification thicknesses. The cars must be constructed with the following minimum thicknesses:
 - i. Shell thickness 0.9095 inches;
 - ii. Tank head 0.9408 inches;
 - iii. Jacket 0.2329 inches, manufactured from Type 304L high alloy steel; and
 - iv. Head shield 0.5000 inches manufactured from TC128B steel.
- b. TESTING None
- c. OPERATIONAL CONTROLS None

8. SPECIAL PROVISIONS:

a. In accordance with the provisions of Paragraph (b) of § 173.22a, persons may use the packaging authorized by this special permit for the transportation of the hazardous

materials specified in paragraph 6, only in conformance with the terms of this special permit.

- b. A person who is not a holder of this special permit, but receives a packaging covered by this special permit, may reoffer it for transportation provided no modification or change is made to the packaging and it is offered for transportation in conformance with this special permit and the HMR.
- c. A current copy of this special permit must be maintained at each facility where the package is offered or reoffered for transportation.
- d. A current copy of this special permit must be maintained at each facility where the packaging is manufactured under this special permit. It must be made available to a DOT representative upon request.
- 9. MODES OF TRANSPORTATION AUTHORIZED: Rail Freight.
- 10. MODAL REQUIREMENTS: The applicant must notify the Federal Railroad Administration of any unusual incident or incidents known to it that occur during the movement of cars built under this special permit. This includes adverse findings related to the welded protective housing during qualification. FRA may be contacted at:

Federal Railroad Administration Hazardous Materials Division RRS-12/Mail Stop 25 1200 New Jersey Avenue, SE Washington, DC 20590 ATTN: Karl Alexy 202-493-6245, FAX: 202-493-6478 karl.alexy@dot.gov

- 11. <u>COMPLIANCE</u>: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 <u>et seq</u>:
 - o All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
 - o Persons operating under the terms of this special

permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.

o Registration required by $$107.601 \text{ } \underline{\text{et seq.}}, \text{ when applicable.}$

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this special permit, including display of its number, when this special permit has expired or is otherwise no longer in effect.

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU)—"The Hazardous Materials Safety and Security Reauthorization Act of 2005" (Pub. L. 109-59), 119 Stat. 1144 (August 10, 2005), amended the Federal hazardous materials transportation law by changing the term "exemption" to "special permit" and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals.

12. REPORTING REQUIREMENTS: Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 Immediate notice of certain hazardous materials incidents, and 171.16 Detailed hazardous materials incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:

Ward By

for Dr. Magdy El-Sibaie

Associate Administrator for Hazardous Materials Safety

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Material Safety Administration, U.S. Department of Transportation, East Building PHH-30, 1200 New Jersey Avenue, Southeast, Washington, D.C. 20590.

Copies of this special permit may be obtained by accessing the Hazardous Materials Safety Homepage at http://hazmat.dot.gov/sp_app/special_permits/spec_perm_index.htm
Photo reproductions and legible reductions of this special permit are permitted. Any alteration of this special permit is prohibited.

PO: LAVALLE